



SKI AREA SAFETY PADDING SOLUTIONS

Tower, pole, snowmaking, hydrant,
chairlift and tubing-area protection.

IN PARTNERSHIP WITH



COMMERCIAL-GRADE PADDING FOR MOUNTAIN OPERATIONS

PROSNOWLINE.COM | 1 (888) 440-7669

COMMERCIAL PADDING PORTFOLIO

Built for Mountain Operations

Only products listed in the supplied 2025 Pro Snow Line pricing workbook are included in this brochure.



2–6 in FOAM THICKNESS	19 oz PVC COVER	-55°F COLD-CRACK RATING	6 STOCK COLORS
---------------------------------	---------------------------	-----------------------------------	--------------------------

- Automotive-grade closed-cell waterproof foam for impact absorption
- Adjustable webbing straps with reinforced stitch lines
- 1000-denier UV-resistant coated PVC covers
- Custom sizes, colors, warning markings and printed logos available

We're proud to bring you a complete line of premium ski area padding and tubing. Engineered for durability, safety, and seamless installation.

Through our trusted partnership with Tube Pro Inc., from standard impact protection to fully customized solutions tailored to your terrain, we've got you covered from base to summit.

Take a look at the attached product line, and reach out anytime with questions. We're here to help you find the right fit.

Pro Snow Line, LLC
1-(888)-440-7669
Sales@prosnowline.com

TOWER PROTECTION

Large Ski Lift Tower Pads

Four-inch protection for high-exposure lift towers and outdoor structures.



Size / Construction	Foam	10–20	21–50	51–100
60 x 60 x 4 in	Closed-cell	\$265	\$260	\$255
60 x 60 x 4 in	Open-cell	\$250	\$245	\$240
60 x 72 x 4 in	Closed-cell	\$290	\$285	\$280
60 x 72 x 4 in	Open-cell	\$285	\$280	\$275
60 x 80 x 4 in	Closed-cell	\$310	\$300	\$290
60 x 80 x 4 in	Open-cell	\$290	\$280	\$270
72 x 80 x 4 in	Open-cell	\$350	\$340	\$330
80 x 80 x 4 in	Open-cell	\$375	\$360	\$345

Keep your lift towers protected with Large Ski Lift Tower Pads, available in five sizes from 60 x 60 in up to 80 x 80 in, each with a full 4 in cushioned profile. Choose closed-cell waterproof foam or impact-absorbing open-cell foam for a snug, reliable fit.

ATTACHMENT

60–72 in pads use four 1.5 in webbing straps and metal buckles; 80 in-high pads use five straps.

TOWER & POLE PROTECTION

Light-Duty Tower and Pole Pads

Common two- and four-inch configurations for towers, poles and fixed hazards.



Size	Depth	10–20	21–50	51–100
48 x 60 in	2 in	\$165	\$160	\$155
48 x 60 in	4 in	\$220	\$215	\$210
48 x 72 in	2 in	\$195	\$190	\$185
48 x 72 in	4 in	\$245	\$240	\$235
36 x 60 in	2 in	\$155	\$150	\$145
36 x 60 in	4 in	\$195	\$190	\$185
36 x 72 in	2 in	\$180	\$175	\$170
36 x 72 in	4 in	\$225	\$220	\$215

These narrower pads are well suited for fan-gun towers, telephone poles and utility poles. Adjustable heavy-duty webbing straps with coated metal squeeze buckles wrap securely around poles and towers, while reinforced stitch lines help reduce strap failure.

POST PROTECTION

Medium and Small Post Pads

Compact protection for snowmaking posts, utility poles and narrow fixed objects.



Product	Size	10–20	21–50	51–100
Medium Pole Pad	24 x 60 x 2 in	\$130	\$125	\$120
Medium Pole Pad	24 x 72 x 2 in	\$140	\$135	\$130
Medium Pole Pad	24 x 60 x 4 in	\$155	\$150	\$145
Medium Pole Pad	24 x 72 x 4 in	\$165	\$160	\$155
Small Snowmaking Post Pad	16 x 60 x 2 in	\$100	\$95	\$90
Small Snowmaking Post Pad	16 x 72 x 2 in	\$110	\$100	\$95

Small and medium pads are best suited to posts approximately 4–8 in in diameter. Adjustable webbing straps allow the pads to wrap securely around snowmaking posts, telephone poles and utility fixtures.

SNOWMAKING PROTECTION

Lift Tower Guards and Snow Gun Pads

Purpose-built protection that preserves equipment access and accommodates common tower-gun geometries.



Product / Size	Construction	10–20	21–50	51–100
Lift Tower Guard - 36 x 96 in	1/8 in polyethylene; six straps	\$110 (1–10)	\$100 (11–20)	\$95 (20+)
HKD Focus / SV10 - 43 x 69 x 2 in	Tower-gun pad	\$265	\$260	\$255
Post Pad - 18 x 48 x 2 in	Companion post pad	\$95	\$90	\$85
HKD Millennium / York - 47 x 77 x 2 in	Tower-gun pad	\$305	\$300	\$295
Post Pad - 18 x 60 x 2 in	Companion post pad	\$105	\$100	\$95

These asymmetrical pads remain on the gun during operation, providing crank-handle coverage at any barrel angle without interfering with hose and valve adjustments. Designs are available for major snowmaking manufacturers, and barrel and post pads can be used together or separately based on snow depth.

OPERATIONAL ACCESS

Asymmetrical tower-gun pads remain installed during operation and preserve access to crank handles, hoses and valves.

FIXED-OBJECT PROTECTION

Panel Tower Pads

Six-inch open-cell systems for larger fixed hazards.



Product	Size / Construction	10–20	21–50	51–100
Single Panel Tower Pad	60 x 60 x 6 in; 2 rear tubular channels	\$310	\$300	\$290
Bi-Fold 2 Panel Tower Pad	Two 48 x 48 x 6 in panels; 96 in total; 4 rear channels	\$350	\$340	\$330

Wider tower pads use impact-absorbing open-cell foam to maintain rigid upright protection on large fixed objects and towers with ladders. Panel configurations provide a broad protective face for high-exposure structures.

APPLICATION

Designed for impact protection in front of wide towers, terminal structures and other large fixed objects.

HYDRANT & UTILITY PROTECTION

Hydrant and Electrical Pedestal Pads

Weather-resistant protection with operator access built into the design.



Product	Size / Feature	10–20	21–50	51–100
Heavy-Duty Hydrant Pad	Flat 60 x 76 x 2 in; 48 in folded; closed-cell foam	\$220	\$210	\$200
Retractable Hydrant Hood	16 x 48 x 2 in post + 19 x 20 x 1 in retractable hood	\$180	\$170	\$160
Electrical Pedestal Pad	12.5 x 17 x 50 in assembled; hinged access panel	\$235	\$230	\$225

Tube Pro hydrant pads wrap around varied hydrant sizes and hose-pipe configurations. Heavy-duty pads protect pipes and hoses from multiple angles, while retractable hood systems stay affixed during valve and hose adjustments. Electrical pedestal pads remain installed while offering quick operator access.

- Adjustable straps and coated metal buckles
- Quick access to valves, fittings and electrical hookups
- Closed-cell waterproof foam for year-round exposure

EMERGENCY & OVERSIZED PROTECTION

Lift Evacuation and Utility Pads

Specialized products for evacuation plans and large equipment hazards.



Product	Specification	Price Tiers
Lift Evacuation Net	96 in diameter; 12 reinforced handles; 1000D 19 oz PVC	\$195 (1–3) / \$190 (4–6) / \$185 (7–10)
Utility Pad - Medium	8 x 6 x 2 ft; internal cross-beam foam; side vents	\$2,300
Utility Pad - Large	12 x 8 x 3 ft; internal cross-beam foam; side vents	\$3,300

Take advantage of Tube Pro's design, cutting and sewing expertise for site-specific safety padding needs. Custom sizes, colors and configurations can be developed for unusual equipment and oversized hazards.

EVACUATION PLANNING

Tube Pro can configure evacuation products to align with a resort's documented lift-evacuation plan. Final suitability remains subject to the operator's approved procedures.

CHAIRLIFT COMFORT & GRIP

Reversible Chairlift Seat Pads

Waterproof padding with Mega Grip material for controlled loading and unloading.



Chair	Size / Attachment	21–50	51–100	101–150
Double	20 x 40 x 1 in; four straps / buckles or aluminum rod	\$105	\$100	\$95
Triple	20 x 60 x 1 in; five straps / buckles or aluminum rod	\$120	\$115	\$110
Quad	20 x 80 x 1 in; six straps / buckles or aluminum rod	\$145	\$140	\$135

Chairlift seat pads use adjustable webbing straps with an innovative sliding clip and buckle to apply ideal seat tension. An aluminum rod can also be inserted through the front and rear of the pad for raising and lowering the seat. Universal, reversible construction provides double the usable surface.

- Choice of 1 in closed-cell waterproof foam or 2 in open-cell foam
- Reversible design extends usable service
- Mega Grip surface helps reduce sliding during starts and stops

TUBING-AREA PROTECTION

Lane Barriers and Deceleration Pads

Modular impact protection for tubing run-outs, tow lines and controlled boundaries.



Product	Size / Construction	1-5	6-10	11-20
Barrier / Decel Pad	96 x 36 x 24 in; closed-cell frame and foam fill	\$700	\$675	\$650
Barrier / Decel Pad	48 x 36 x 24 in; closed-cell frame and foam fill	\$350	\$325	\$300
Willy Bag - Filled	48 x 52 x 15 in; straps or Velcro flaps; waterproof foam	\$170	\$165	\$160
Willy Bag - Empty	Bag only; no foam included	\$125	\$120	\$115

Define your slope, control your speed. Closed-cell waterproof foam absorbs impact at the base of the hill. Deceleration bags protect oversized or odd-shaped objects; adjustable straps secure them, and sewn Velcro side panels allow multiple bags to be linked across tubing run-out areas.

MODULAR LAYOUTS

Barrier pads can be used individually, anchored with ground rods, or linked pad-to-pad to define boundaries and manage run-out areas.

EQUIPMENT COVERS & INTERACTIVE FEATURES

Fan Gun Covers and High Five Pads

Protection and guest-facing features from the approved 2025 product list.



Product	Specification	Price Tiers
Fan Gun Cover - Various Sizes	1000-denier PVC-coated material; grommet or draw-strap closure	\$190 (1–5) / \$180 (6–10) / \$170 (11–20)
High Five Pad	60 in high; fits 4 x 4 post; 36 x 24 in hand; custom print available	\$450 (1–2) / \$425 (3–4) / \$400 (5–6)

Waterproof fan-gun covers are available in a variety of sizes and colors for off-season protection. The bottom draw strap helps deter animals from nesting inside equipment or chewing through wiring. Custom High Five pads can incorporate resort colors, printed logos or embroidered graphics.

- Fan covers protect equipment during off-season storage
- Bottom closures help deter animals and debris
- High Five pads can incorporate custom logos and colors

MATERIALS & CUSTOMIZATION

Built for Outdoor Commercial Use

Construction details apply to the standard padding families unless a product row specifies otherwise.



1000D
PVC POLYESTER

19 oz
COVER WEIGHT

-55°F
COLD CRACK

UV
FADE RESISTANT

- Closed-cell waterproof foam resists moisture and mold and is suited to year-round exposure.
- Open-cell foam is available where the specified product or application calls for it.
- Fold-over Velcro closures allow foam or covers to be serviced and replaced.
- Stock colors: black, red, blue, green, orange and safety yellow.
- Screen printing, sewn warning markings and sponsor logos are available by quotation.

CUSTOM WORK

Custom dimensions, colors and attachment details can be quoted. Products and sizes not listed in the supplied pricing spreadsheet are intentionally omitted from this brochure.

ORDERING GUIDE

How to Specify Your Padding

A clear field count and accurate measurements produce the fastest quotation.

Step	Information Needed
1. Identify the hazard	Tower, pole, snow gun, hydrant, electrical pedestal, chairlift, tubing zone or custom object.
2. Measure	Record width x height x depth and note protrusions, controls, hoses and required access.
3. Select construction	Confirm foam type, thickness, cover color and attachment method.
4. Count quantities	Pricing tiers are based on quantities for the same listed product and construction.
5. Add branding	Provide vector artwork and desired print location for logos, warnings or sponsor marks.
6. Confirm utilities / procedures	Verify evacuation-plan compatibility and any site-specific operational requirements.

PRICING BASIS

All listed prices are per unit in U.S. dollars. Freight, taxes, custom printing and nonstandard design work are quoted separately.

SALES SUPPORT

Let's Build the Right Padding Package

Pro Snow Line can help translate field measurements and operating needs into a concise Tube Pro order.



1626 Shaber Avenue, Sparks, NV 89431
Office: 1 (888) 440-7669 | Mobile: (415) 233-0616
sales@prosnowline.com | www.prosnowline.com

2026 PRODUCT AND PRICING EDITION

